



**WISCONSIN
YOUTH TOBACCO SURVEY (YTS) 2003
MIDDLE SCHOOLS
DATA TABLES**

Questions, Response Options, Frequencies and Percents

Prepared by the
Tobacco Prevention and Control Program
Bureau of Chronic Disease Prevention and Health Promotion
Division of Public Health
Department of Health and Family Services
PPH 43062 A (6/03)

**Bureau of Chronic Disease Prevention and Health Promotion
Division of Public Health
Department of Health and Family Services
PPH 43062A 6/03**

Table of Contents

Purpose.....	3
Background.....	3
Methods	3
Funding.....	4
Disclaimer.....	4
Department of Health and Family Services Tobacco Prevention and Control Program.....	4
Acknowledgements	5
Fact Sheet.....	6
Data Tables	7

This report presents the Wisconsin Youth Tobacco Survey (YTS) 2003 data for public middle school youth in grades 6, 7, and 8. The data are shown in table format, by question, response options, and answers.

Purpose

The Wisconsin Youth Tobacco Survey (YTS) is a comprehensive measure of youth awareness, attitudes and related behaviors about tobacco use in Wisconsin. The purpose of this survey is to monitor trends of these attitudes and behaviors to assist in improving youth programs and initiatives.

Background

The Youth Tobacco Survey was first adapted for use and administered in Wisconsin during the spring semester of the 1999-2000 academic year to a random sample of public middle and high school students. The survey has been continued on an annual basis for public middle school youth and a biennial basis for public high school youth. The survey is administered during the spring semester of each academic year.

The Wisconsin YTS questionnaire uses the same set of 63 core questions and the same procedures developed by the U.S. Centers for Disease Control and Prevention for the National Youth Tobacco Survey. The Wisconsin Tobacco Prevention and Control Program collaborates with partners to develop 10 additional Wisconsin-specific questions that are added to the core questionnaire each year.

The Wisconsin YTS provides a comprehensive data set and the ability to make valid statewide estimates about tobacco use, awareness, attitudes and behaviors among the Wisconsin's public middle and high school student population.

Methods

The Department of Health and Family Services (DHFS), the Department of Public Instruction (DPI), school districts, and public middle and high schools across Wisconsin cooperated in the survey administration.

DHFS contracted with the Wisconsin Public Health and Health Policy Institute, Department of Population Health Sciences, University of Wisconsin-Madison Medical School to administer the Wisconsin YTS during the months of February, March, April, and May 2003 in 50 randomly chosen schools.

Public schools containing the grades 6, 7, and 8 (for middle schools) were included in the potential survey sample. A random sample was chosen by standard scientific methods from all eligible public schools in the state. All students in the selected classes were eligible to participate in the survey.

Forty-six of 50 (92%) randomly selected middle schools agreed to participate in the 2003 Wisconsin Youth Tobacco Survey. In the participating schools, 1,864 of the 2,140 sampled students (87%) completed usable questionnaires. This gave an overall response rate of 80% for all potentially eligible students in the original 50 eligible schools.

$$\text{Response Rate of Schools (92\%)} * \text{Response Rate of Students (87\%)} = \\ \text{Overall Response Rate (80\%)}$$

The data from the 2003 Wisconsin YTS are presented in a table format by question. The questions are listed in the order as they appeared on the survey.

The “missing” variable under the response options is for those youth who completed the survey, but for whatever reason, did not answer that particular question. The “unweighted frequency” is the number of students who answered that particular response to that specific question. This is sometimes referred to as the “raw” number. The numbers in this column should always add up to 1,864 (the number of participants) for each question. The “weighted frequency” statistically adjusts the “unweighted frequency” using several variables including, but not limited to, grade and gender, to reduce bias in the sample and make the data more representative of all public middle school youth in Wisconsin. This is shown as a percent of all public middle school youth in Wisconsin, not just the youth that participated in the survey.

Funding

The 2003 Wisconsin Youth Tobacco Survey was funded by the Department of Health and Family Services’ Thomas T. Melvin Youth Tobacco Prevention and Education Program using funds provided by the Wisconsin Tobacco Control Board.

Disclaimer

This report contains only data from the 2003 Wisconsin YTS. As such, it has potentially strong limitations in regards to tracking of trends in perceptions, attitudes and behaviors by middle school youth that may be of importance in understanding why some smoke and how best to devise strategies to prevent and/or reduce use.

Nevertheless, the data should help provide an understanding of the influences toward smoking behavior and attitudes on smoking in the middle school years.

The data will also be used in conjunction with other local and national data that explore similar topics.

Department of Health and Family Services Tobacco Prevention and Control Program

The DHFS Tobacco Prevention and Control Program, located within the Bureau of Chronic Disease Prevention and Health Promotion, Division of Public Health, is committed to reducing tobacco usage in Wisconsin. The Program, in collaboration with Wisconsin local health departments and other community organizations active in tobacco control, works toward the following goals:

- ❖ **Eliminate Exposure to Environmental Tobacco Smoke**
- ❖ **Reduce Smoking Initiation among Youth**
- ❖ **Promote Quitting among Adults and Young People**
- ❖ **Identify and Eliminate Health Disparities Among Population Groups**

For more information or additional copies of this report write to:

**Tobacco Prevention and Control Program
Division of Public Health
P.O. Box 2659, rm. 218
Madison, WI 53701-2659**

This information and reports based on the Wisconsin YTS data can also be found on the Internet at:

<http://www.dhfs.state.wi.us/health/TobaccoControl>

Acknowledgements


Many dedicated persons contributed to the 2003 Wisconsin YTS. Special thanks are due to all the participating students, teachers and principals, as well as the following organizations and entities:

- Department of Population Health Sciences, University of Wisconsin-Madison Medical School
- Wisconsin Department of Public Instruction
- Tobacco control and prevention advocates
- Community coalitions

Wisconsin

2003 Youth Tobacco Survey (YTS)

MIDDLE SCHOOL FACT SHEET



The Wisconsin YTS is a comprehensive measure of youth awareness, attitudes, and related behaviors about tobacco use. The purpose of this survey is to monitor trends of these attitudes and behaviors to assist in improving youth programs and initiatives.

The Wisconsin YTS is a school-based survey of students in grades 6-8, conducted in the spring semester of each academic year beginning in 1999-2000. Fifty schools were randomly selected in 2003 to participate in the survey. Classrooms in the selected schools were also randomly selected. All students in the selected classes were eligible to participate. The 2003 middle school response rate was 92%, the student response rate was 87%, and the overall response rate was 80%. A total of 1,864 public middle school students participated in the Wisconsin YTS in 2003.

Prevalence

- 37% of students have used any tobacco product (6th grade=26%, 7th grade=37%, 8th grade=46%)
- 28% have smoked cigarettes (6th grade=19%, 7th grade=27%, 8th grade=36%)
- 13% currently use any tobacco product (Male=15%, Female=11%)
- 6.6% currently smoke cigarettes (6th grade=3%, 7th grade=7%, 8th grade=9%)
- 2.5% currently use smokeless tobacco (Male=4%, Female=1%)

Environmental Tobacco Smoke (ETS)

- 42% live with someone who smokes cigarettes
- 54% are in the same room as others who smoke during the week
- 91% think that smoke from other people's cigarettes is harmful to them

Cessation – Current Smokers

- 52% want to stop smoking
- 62% attempted to quit smoking during the past 12 months

Media

- 78% have seen or heard commercials about the dangers of cigarette smoking
- 58% have seen or heard anti-smoking ads that say "B-FREE" from tobacco

School

- 65% were taught in class about the dangers of tobacco use
- 2.3% smoked on school property in the past month

Community

- 16% participated in a community event to discourage tobacco use

Access and Availability – Current Smoker < 18 years old

- 5.4% buy cigarettes in a store

Note: Current use is defined as using any tobacco product on at least one day of the 30 days preceding the survey.

Middle School Highlights

- The current smoking rate has decreased for the fourth year in a row.
- 37% have used tobacco in any form.
- 28% of public middle school students have tried smoking cigarettes.
- Current smokeless tobacco use has remained relatively the same over the past three years at 2.5%.
- ETS exposure is high – more than 5 in 10 students were in the same room with smokers during the past week.
- Over half of current smokers want to stop smoking.
- Almost 8 out of 10 students saw anti-smoking media messages in the past month.
- More than 6 out of 10 students were taught about the dangers of tobacco in class.

For additional information, please contact: Tobacco Prevention and Control Program,
Division of Public Health
Phone: (608) 266-9708 Internet: <http://www.dhfs.state.wi.us/health/TobaccoControl/>

DIVISION OF PUBLIC HEALTH (DPH)
TOBACCO PREVENTION AND CONTROL PROGRAM
THOMAS T MELVIN YOUTH TOBACCO PREVENTION AND EDUCATION PROGRAM (TIM)
YOUTH TOBACCO SURVEY (YTS) 2003 WISCONSIN PUBLIC MIDDLE SCHOOLS
QUESTIONS , RESPONSES , FREQUENCIES

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
1	HOW OLD ARE YOU?	MISSING 11 YEARS OR YOUNGER 12 YEARS OLD 13 YEARS OLD 14 YEARS OLD 15 YEARS OLD 16 YEARS OLD 17 YEARS OLD 18 YEARS OLD OR OLDER	1 179 582 603 460 37 1 . 1	. 9.51% 32.02% 33.61% 22.94% 1.80% 0.06% 0% 0.05%
2	WHAT IS YOUR SEX?	MISSING MALE FEMALE	11 907 946	. 48.63% 51.37%
3	WHAT GRADE ARE YOU IN?	MISSING 6 TH 7 TH 8 TH 9 TH 10 TH 11 TH 12 TH UNGRADED OR OTHER GRADE	17 605 571 671 32.82% 33.83% 33.35% 0% 0% 0% 0% 0%
4	HOW WOULD YOU DESCRIBE YOURSELF? (NOTE: QUESTION 4 IS REPEATED SO THAT YOUTH COULD SELECT ONE OR MORE RACIAL/ETHNIC IDENTITY.)	MISSING AMERICAN INDIAN OR ALASKA NATIVE ASIAN BLACK OR AFRICAN AMERICAN HISPANIC OR LATINO NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER WHITE	1705 159 100% 0% 0% 0% 0% 0%

* UNWEIGHTED FREQUENCY IS THE NUMBER OF STUDENTS WHO ANSWERED THAT PARTICULAR RESPONSE TO THAT SPECIFIC QUESTION. THIS IS SOMETIMES REFERRED TO AS THE “RAW” NUMBER AND SHOULD ALWAYS ADD UP TO 1,864 FOR EACH QUESTION.

** WEIGHTED FREQUENCY ADJUSTS THE UNWEIGHTED FREQUENCY USING SEVERAL VARIABLES TO REDUCE BIAS AND MAKE THE DATA MORE REPRESENTATIVE OF ALL PUBLIC MIDDLE SCHOOL YOUTH IN WISCONSIN.

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
4	HOW WOULD YOU DESCRIBE YOURSELF? (NOTE: QUESTION 4 IS REPEATED SO THAT YOUTH COULD SELECT ONE OR MORE RACIAL/ETHNIC IDENTITY.)	MISSING AMERICAN INDIAN OR ALASKA NATIVE ASIAN BLACK OR AFRICAN AMERICAN HISPANIC OR LATINO NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER WHITE	1773 . 91 0% 100% 0% 0% 0% 0%
4	HOW WOULD YOU DESCRIBE YOURSELF? (NOTE: QUESTION 4 IS REPEATED SO THAT YOUTH COULD SELECT ONE OR MORE RACIAL/ETHNIC IDENTITY.)	MISSING AMERICAN INDIAN OR ALASKA NATIVE ASIAN BLACK OR AFRICAN AMERICAN HISPANIC OR LATINO NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER WHITE	1586 . . 278 0% 0% 100% 0% 0% 0%
4	HOW WOULD YOU DESCRIBE YOURSELF? (NOTE: QUESTION 4 IS REPEATED SO THAT YOUTH COULD SELECT ONE OR MORE RACIAL/ETHNIC IDENTITY.)	MISSING AMERICAN INDIAN OR ALASKA NATIVE ASIAN BLACK OR AFRICAN AMERICAN HISPANIC OR LATINO NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER WHITE	1764 . . . 100 . .	. 0% 0% 0% 100% 0% 0%
4	HOW WOULD YOU DESCRIBE YOURSELF? (NOTE: QUESTION 4 IS REPEATED SO THAT YOUTH COULD SELECT ONE OR MORE RACIAL/ETHNIC IDENTITY.)	MISSING AMERICAN INDIAN OR ALASKA NATIVE ASIAN BLACK OR AFRICAN AMERICAN HISPANIC OR LATINO NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER WHITE	1839 25 .	. 0% 0% 0% 0% 100% 0%
4	HOW WOULD YOU DESCRIBE YOURSELF? (NOTE: QUESTION 4 IS REPEATED SO THAT YOUTH COULD SELECT ONE OR MORE RACIAL/ETHNIC IDENTITY.)	MISSING AMERICAN INDIAN OR ALASKA NATIVE ASIAN BLACK OR AFRICAN AMERICAN HISPANIC OR LATINO NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER WHITE	434 1430	. 0% 0% 0% 0% 0% 100%

* UNWEIGHTED FREQUENCY IS THE NUMBER OF STUDENTS WHO ANSWERED THAT PARTICULAR RESPONSE TO THAT SPECIFIC QUESTION. THIS IS SOMETIMES REFERRED TO AS THE “RAW” NUMBER AND SHOULD ALWAYS ADD UP TO 1,864 FOR EACH QUESTION.

** WEIGHTED FREQUENCY ADJUSTS THE UNWEIGHTED FREQUENCY USING SEVERAL VARIABLES TO REDUCE BIAS AND MAKE THE DATA MORE REPRESENTATIVE OF ALL PUBLIC MIDDLE SCHOOL YOUTH IN WISCONSIN.

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
5	WHICH ONE OF THESE GROUPS BEST DESCRIBES YOU?	MISSING AMERICAN INDIAN OR ALASKA NATIVE ASIAN BLACK OR AFRICAN AMERICAN HISPANIC OR LATINO NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER WHITE	27 59 51 249 78 16 1384	. 3.31% 2.84% 14.38% 4.38% 0.85% 74.24%
6	HAVE YOU EVER TRIED CIGARETTE SMOKING, EVEN ONE OR TWO PUFFS ?	MISSING YES NO	132 476 1256	. 27.59% 72.41%
7	HOW OLD WERE YOU WHEN YOU SMOKED A WHOLE CIGARETTE FOR THE FIRST TIME?	MISSING I HAVE NEVER SMOKED A WHOLE CIGARETTE 8 YEARS OLD OR YOUNGER 9-10 YEARS OLD 11-12 YEARS OLD 13-14 YEARS OLD 15-16 YEARS OLD 17 YEARS OLD OR OLDER	64 1468 76 74 122 59 . 1	. 81.64% 4.40% 4.12% 6.59% 3.20% 0% 0.05%
8	ABOUT HOW MANY CIGARETTES HAVE YOU SMOKED IN YOUR ENTIRE LIFE?	MISSING NONE 1 OR MORE PUFFS BUT NEVER A WHOLE CIGARETTE 1 CIGARETTE 2-5 CIGARETTES 6-15 (ABOUT ½ A PACK TOTAL) 16-25 (ABOUT 1 PACK TOTAL) 26-99 (MORE THAN 1 PACK BUT LESS THAN 5 PACKS) 100 OR MORE (5 OR MORE PACKS)	25 1388 187 38 79 55 30 18 44	. 75.42% 10.40% 2.07% 4.31% 2.86% 1.60% 1.03% 2.32%
9	HAVE YOU EVER SMOKED CIGARETTES DAILY, THAT IS, AT LEAST ONE CIGARETTE EVERY DAY FOR 30 DAYS?	MISSING YES NO	62 63 1739	. 3.69% 96.31%

* UNWEIGHTED FREQUENCY IS THE NUMBER OF STUDENTS WHO ANSWERED THAT PARTICULAR RESPONSE TO THAT SPECIFIC QUESTION. THIS IS SOMETIMES REFERRED TO AS THE “RAW” NUMBER AND SHOULD ALWAYS ADD UP TO 1,864 FOR EACH QUESTION.

** WEIGHTED FREQUENCY ADJUSTS THE UNWEIGHTED FREQUENCY USING SEVERAL VARIABLES TO REDUCE BIAS AND MAKE THE DATA MORE REPRESENTATIVE OF ALL PUBLIC MIDDLE SCHOOL YOUTH IN WISCONSIN.

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
10	DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU SMOKE CIGARETTES ?	MISSING 0 DAYS 1-2 DAYS 3-5 DAYS 6-9 DAYS 10-19 DAYS 20-29 DAYS ALL 30 DAYS	61 1686 42 20 12 20 10 13	. 93.42% 2.39% 1.14% 0.63% 1.13% 0.53% 0.76%
11	DURING THE PAST 30 DAYS, ON THE DAYS YOU SMOKED, HOW MANY CIGARETTES DID YOU SMOKE PER DAY?	MISSING I DID NOT SMOKE CIGARETTES DURING THE PAST 30 DAYS LESS THAN 1 PER DAY 1 PER DAY 2-5 PER DAY 6-10 PER DAY 11-20 PER DAY MORE THAN 20 PER DAY	79 1669 42 17 42 10 2 3	. 93.39% 2.43% 0.98% 2.33% 0.54% 0.12% 0.21%
12	DURING THE PAST 30 DAYS, WHAT BRAND OF CIGARETTES DID YOU USUALLY SMOKE?	MISSING I DID NOT SMOKE CIGARETTES DURING THE PAST 30 DAYS I DO NOT HAVE A USUAL BRAND CAMEL MARLBORO NEWPORT VIRGINIA SLIMS GPC , BASIC OR DORAL SOME OTHER BRAND	35 1685 15 13 46 50 2 8 10	. 91.93% 0.86% 0.74% 2.51% 2.76% 0.13% 0.45% 0.63%
13	ARE THE CIGARETTES YOU USUALLY SMOKE MENTHOL CIGARETTES ?	MISSING I DO NOT SMOKE CIGARETTES YES NO	27 1619 113 105	. 87.95% 6.23% 5.82%

* UNWEIGHTED FREQUENCY IS THE NUMBER OF STUDENTS WHO ANSWERED THAT PARTICULAR RESPONSE TO THAT SPECIFIC QUESTION. THIS IS SOMETIMES REFERRED TO AS THE “RAW” NUMBER AND SHOULD ALWAYS ADD UP TO 1,864 FOR EACH QUESTION.

** WEIGHTED FREQUENCY ADJUSTS THE UNWEIGHTED FREQUENCY USING SEVERAL VARIABLES TO REDUCE BIAS AND MAKE THE DATA MORE REPRESENTATIVE OF ALL PUBLIC MIDDLE SCHOOL YOUTH IN WISCONSIN.

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
14	DURING THE PAST 30 DAYS, HOW DID YOU USUALLY GET YOUR OWN CIGARETTES ?	MISSING I DID NOT SMOKE CIGARETTES DURING THE PAST 30 DAYS I BOUGHT THEM IN A STORE SUCH AS A CONVENIENCE STORE, SUPERMARKET, DISCOUNT STORE, OR GAS STATION I BOUGHT THEM FROM A VENDING MACHINE I GAVE SOMEONE ELSE MONEY TO BUY THEM FOR ME I BORROWED (OR BUMMED) THEM FROM SOMEONE ELSE A PERSON 18 YEARS OLD OR OLDER GAVE THEM TO ME I TOOK THEM FROM A STORE OR FAMILY MEMBER I GOT THEM SOME OTHER WAY	11 1698 8 6 37 35 9 35 25	. 91.36% 0.58% 0.33% 1.99% 1.93% 0.44% 2.01% 1.34%
15	DURING THE PAST 30 DAYS, WHERE DID YOU BUY THE LAST PACK OF CIGARETTES YOU BOUGHT?	MISSING I DID NOT BUY A PACK OF CIGARETTES DURING THE PAST 30 DAYS A GAS STATION A CONVENIENCE STORE A GROCERY STORE A DRUGSTORE A VENDING MACHINE I BOUGHT THEM OVER THE INTERNET OTHER	21 1734 26 7 3 3 3 5 62	. 93.96% 1.45% 0.39% 0.16% 0.18% 0.13% 0.32% 3.40%
16	WHEN YOU BOUGHT, OR TRIED TO BUY CIGARETTES IN A STORE DURING THE PAST 30 DAYS, WERE YOU EVER ASKED TO SHOW PROOF OF AGE?	MISSING I DID NOT TRY TO BUY CIGARETTES IN A STORE DURING THE PAST 30 DAYS YES, I WAS ASKED TO SHOW PROOF AGE NO, I WAS NOT ASKED TO SHOW PROOF OF AGE	18 1798 16 32	. 97.24% 0.89% 1.87%
17	DURING THE PAST 30 DAYS, DID ANYONE REFUSE TO SELL YOU CIGARETTES BECAUSE OF YOUR AGE?	MISSING I DID NOT TRY TO BUY CIGARETTES IN A STORE DURING THE PAST 30 DAYS YES, SOMEONE REFUSED TO SELL ME CIGARETTES BECAUSE OF MY AGE NO, NO ONE REFUSED TO SELL ME CIGARETTES BECAUSE OF MY AGE	17 1788 22 37	. 96.61% 1.28% 2.11%
18	DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU SMOKE CIGARETTES ON SCHOOL PROPERTY?	MISSING 0 DAYS 1-2 DAYS 3-5 DAYS 6-9 DAYS 10-19 DAYS 20-29 DAYS ALL 30 DAYS	18 1803 13 12 6 4 5 3	. 97.65% 0.65% 0.65% 0.35% 0.21% 0.28% 0.22%

* UNWEIGHTED FREQUENCY IS THE NUMBER OF STUDENTS WHO ANSWERED THAT PARTICULAR RESPONSE TO THAT SPECIFIC QUESTION. THIS IS SOMETIMES REFERRED TO AS THE “RAW” NUMBER AND SHOULD ALWAYS ADD UP TO 1,864 FOR EACH QUESTION.

** WEIGHTED FREQUENCY ADJUSTS THE UNWEIGHTED FREQUENCY USING SEVERAL VARIABLES TO REDUCE BIAS AND MAKE THE DATA MORE REPRESENTATIVE OF ALL PUBLIC MIDDLE SCHOOL YOUTH IN WISCONSIN.

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
19	WHEN WAS THE LAST TIME YOU SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS ?	MISSING I HAVE NEVER SMOKED EVEN ONE OR TWO PUFFS EARLIER TODAY NOT TODAY BUT SOMETIME DURING THE PAST 7 DAYS NOT DURING THE PAST 7 DAYS BUT SOMETIME DURING THE PAST 30 DAYS NOT DURING THE PAST 30 DAYS BUT SOMETIME DURING THE PAST 6 MONTHS NOT DURING THE PAST 6 MONTHS BUT SOMETIME DURING THE PAST YEAR 1-4 YEARS AGO 5 OR MORE YEARS AGO	48 1407 28 43 32 73 37 144 52	. 77.54% 1.55% 2.32% 1.86% 4.03% 1.99% 7.77% 2.93%
20	HOW LONG CAN YOU GO WITHOUT SMOKING BEFORE YOU FEEL LIKE YOU NEED A CIGARETTE?	MISSING I HAVE NEVER SMOKED CIGARETTES I DO NOT SMOKE NOW LESS THAN AN HOUR 1-3 HOURS MORE THAN 3 HOURS BUT LESS THAN A DAY A WHOLE DAY SEVERAL DAYS A WEEK OR MORE	12 1446 272 8 8 16 9 16 77	. 77.99% 14.69% 0.46% 0.41% 0.88% 0.49% 0.90% 4.18%
21	DO YOU WANT TO STOP SMOKING CIGARETTES ?	MISSING I DO NOT SMOKE NOW YES NO	44 1691 67 62	. 92.78% 3.74% 3.48%
22	DURING THE PAST 12 MONTHS, DID YOU EVER TRY TO QUIT SMOKING CIGARETTES ?	MISSING I DID NOT SMOKE DURING THE PAST 12 MONTHS YES NO	34 1655 111 64	. 90.38% 6.00% 3.62%
23	HOW MANY TIMES DURING THE PAST 12 MONTHS HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING?	MISSING I HAVE NOT SMOKED IN THE PAST 12 MONTHS I HAVE NOT TRIED TO QUIT 1 TIME 2 TIMES 3-5 TIMES 6-9 TIMES 10 OR MORE TIMES	29 1650 63 39 20 24 9 30	. 89.88% 3.46% 2.15% 1.05% 1.30% 0.53% 1.63%

* UNWEIGHTED FREQUENCY IS THE NUMBER OF STUDENTS WHO ANSWERED THAT PARTICULAR RESPONSE TO THAT SPECIFIC QUESTION. THIS IS SOMETIMES REFERRED TO AS THE “RAW” NUMBER AND SHOULD ALWAYS ADD UP TO 1,864 FOR EACH QUESTION.

** WEIGHTED FREQUENCY ADJUSTS THE UNWEIGHTED FREQUENCY USING SEVERAL VARIABLES TO REDUCE BIAS AND MAKE THE DATA MORE REPRESENTATIVE OF ALL PUBLIC MIDDLE SCHOOL YOUTH IN WISCONSIN.

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
24	WHEN YOU LAST TRIED TO QUIT, HOW LONG DID YOU STAY OFF CIGARETTES ?	MISSING I HAVE NEVER SMOKED CIGARETTES I HAVE NEVER TRIED TO QUIT LESS THAN A DAY 1-7 DAYS MORE THAN 7 DAYS BUT LESS THAN 30 DAYS 30 DAYS OR MORE BUT LESS THAN 6 MONTHS 6 MONTHS OR MORE BUT LESS THAN ONE YEAR 1 YEAR OR MORE	48 1528 65 17 22 27 30 29 98	. 84.25% 3.60% 0.88% 1.16% 1.48% 1.71% 1.61% 5.31%
25	HAVE YOU EVER USED CHEWING TOBACCO, SNUFF, OR DIP, SUCH AS REDMAN, LEVI GARRETT, BEECHNUT, SKOAL, OR COPENHAGEN?	MISSING YES NO	41 176 1647	. 9.49% 90.51%
26	HOW OLD WERE YOU WHEN YOU USED CHEWING TOBACCO, SNUFF, OR DIP FOR THE FIRST TIME?	MISSING I HAVE NEVER USED CHEWING TOBACCO, SNUFF OR DIP 8 YEARS OLD OR YOUNGER 9-10 YEARS OLD 11-12 YEARS OLD 13-14 YEARS OLD 15-16 YEARS OLD 17 YEARS OLD OR OLDER	29 1727 21 21 41 24 . 1	. 94.36% 1.10% 1.08% 2.20% 1.21% 0% 0.05%
27	DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE CHEWING TOBACCO, SNUFF OR DIP	MISSING 0 DAYS 1-2 DAYS 3-5 DAYS 6-9 DAYS 10-19 DAYS 20-29 DAYS ALL 30 DAYS	45 1772 18 9 6 7 2 5	. 97.49% 0.95% 0.48% 0.32% 0.36% 0.14% 0.27%
28	DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE CHEWING TOBACCO, SNUFF OR DIP ON SCHOOL PROPERTY?	MISSING 0 DAYS 1-2 DAYS 3-5 DAYS 6-9 DAYS 10-19 DAYS 20-29 DAYS ALL 30 DAYS	11 1822 15 6 3 2 2 3	. 98.30% 0.81% 0.34% 0.16% 0.09% 0.13% 0.16%

* UNWEIGHTED FREQUENCY IS THE NUMBER OF STUDENTS WHO ANSWERED THAT PARTICULAR RESPONSE TO THAT SPECIFIC QUESTION. THIS IS SOMETIMES REFERRED TO AS THE “RAW” NUMBER AND SHOULD ALWAYS ADD UP TO 1,864 FOR EACH QUESTION.

** WEIGHTED FREQUENCY ADJUSTS THE UNWEIGHTED FREQUENCY USING SEVERAL VARIABLES TO REDUCE BIAS AND MAKE THE DATA MORE REPRESENTATIVE OF ALL PUBLIC MIDDLE SCHOOL YOUTH IN WISCONSIN.

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
29	DURING THE PAST 30 DAYS, HOW DID YOU USUALLY GET YOUR OWN CHEWING TOBACCO, SNUFF OR DIP?	MISSING I DID NOT USE CHWEING TOBACCO, SNUFF OR DIP DURING THE PAST 30 DAYS I BOUGHT THEM IN A STORE SUCH AS A CONVENIENCE STORE, SUPERMARKET, DISCOUNT STORE OR GAS STATION I GAVE SOMEONE ELSE MONEY TO BUY THEM FOR ME I BORROWED (OR BUMMED) THEM FROM SOMEONE ELSE A PERSON 18 YEARS OLD OR OLDER GAVE THEM TO ME I TOOK THEM FROM A STORE OR FAMILY MEMBER I GOT THEM SOME OTHER WAY	17 1786 12 13 13 7 8 8	. 96.69% 0.65% 0.68% 0.71% 0.36% 0.41% 0.49%
30	HAVE YOU EVER TRIED SMOKING CIGARS, CIGARILLOS, OR LITTLE CIGARS, EVEN ONE OR TWO PUFFS ?	MISSING YES NO	41 294 1529	. 15.86% 84.14%
31	HOW OLD WERE YOU WHEN YOU SMOKED A CIGAR, CIGARILLO , OR LITTLE CIGAR FOR THE FIRST TIME?	MISSING I HAVE NEVER SMOKED A CIGAR, CIGARILLO OR LITTLE CIGAR 8 YEARS OLD OR YOUNGER 9-10 YEARS OLD 11-12 YEARS OLD 13-14 YEARS OLD 15-16 YEARS OLD 17 YEARS OLD OR OLDER	25 1611 33 50 83 62 . .	. 87.93% 1.83% 2.73% 4.56% 2.95% 0% 0%
32	DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU SMOKE CIGARS, CIGARILLOS, OR LITTLE CIGARS ?	MISSING 0 DAYS 1-2 DAYS 3-5 DAYS 6-9 DAYS 10-19 DAYS 20-29 DAYS ALL 30 DAYS	28 1751 44 16 11 4 4 6	. 95.34% 2.31% 0.88% 0.63% 0.25% 0.26% 0.33%

* UNWEIGHTED FREQUENCY IS THE NUMBER OF STUDENTS WHO ANSWERED THAT PARTICULAR RESPONSE TO THAT SPECIFIC QUESTION. THIS IS SOMETIMES REFERRED TO AS THE “RAW” NUMBER AND SHOULD ALWAYS ADD UP TO 1,864 FOR EACH QUESTION.

** WEIGHTED FREQUENCY ADJUSTS THE UNWEIGHTED FREQUENCY USING SEVERAL VARIABLES TO REDUCE BIAS AND MAKE THE DATA MORE REPRESENTATIVE OF ALL PUBLIC MIDDLE SCHOOL YOUTH IN WISCONSIN.

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
33	DURING THE PAST 30 DAYS, HOW DID YOU USUALLY GET YOUR OWN CIGARS , CIGARILLOS, OR LITTLE CIGARS?	MISSING I DID NOT SMOKE CIGARS ,CIGARILLOS, OR LITTLE CIGARS DURING THE PAST 30 DAYS I BOUGHT THEM IN A STORE SUCH AS A CONVENIENCE STORE, SUPERMARKET, DISCOUNT STORE OR GAS STATION I GAVE SOMEONE ELSE MONEY TO BUY THEM FOR ME I BORROWED (OR BUMMED) THEM FROM SOMEONE ELSE A PERSON 18 YEARS OLD OR OLDER GAVE THEM TO ME I TOOK THEM FROM A STORE OR FAMILY MEMBER I GOT THEM SOME OTHER WAY	30 1737 12 21 20 9 14 21	. 94.73% 0.65% 1.17% 1.00% 0.50% 0.74% 1.21%
34	DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU SMOKE TOBACCO IN A PIPE?	MISSING 0 DAYS 1-2 DAYS 3-5 DAYS 6-9 DAYS 10-19 DAYS 20-29 DAYS ALL 30 DAYS	11 1790 21 10 25 1 . 6	. 96.48% 1.13% 0.58% 1.41% 0.05% 0% 0.35%
35	HAVE YOU EVER TRIED SMOKING ANY OF THE FOLLOWING?	MISSING BIDIS KRETEKS I HAVE TRIED BOTH BIDIS AND KRETEKS I HAVE NEVER SMOKED BIDIS OR KRETEKS	40 58 11 22 1733	. 3.30% 0.64% 1.22% 94.84%
36	DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU SMOKE BIDIS?	MISSING 0 DAYS 1-2 DAYS 3-5 DAYS 6-9 DAYS 10-19 DAYS 20-29 DAYS ALL 30 DAYS	30 1772 16 19 19 3 1 4	. 96.57% 0.85% 1.03% 1.07% 0.15% 0.06% 0.27%
37	DO YOU THINK THAT YOU WILL TRY CIGARETTES SOON?	MISSING I HAVE ALREADY TRIED SMOKING CIGARETTES YES NO	36 312 90 1426	. 16.84% 5.17% 77.99%

* UNWEIGHTED FREQUENCY IS THE NUMBER OF STUDENTS WHO ANSWERED THAT PARTICULAR RESPONSE TO THAT SPECIFIC QUESTION. THIS IS SOMETIMES REFERRED TO AS THE “RAW” NUMBER AND SHOULD ALWAYS ADD UP TO 1,864 FOR EACH QUESTION.

** WEIGHTED FREQUENCY ADJUSTS THE UNWEIGHTED FREQUENCY USING SEVERAL VARIABLES TO REDUCE BIAS AND MAKE THE DATA MORE REPRESENTATIVE OF ALL PUBLIC MIDDLE SCHOOL YOUTH IN WISCONSIN.

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
38	DO YOU THINK YOU WILL SMOKE A CIGARETTE AT ANYTIME DURING THE NEXT YEAR?	MISSING DEFINITELY YES PROBABLY YES PROBABLY NOT DEFINITELY NOT	25 87 104 318 1330	. 4.60% 5.86% 17.49% 72.05%
39	DO YOU THINK YOU WILL BE SMOKING CIGARETTES 5 YEARS FROM NOW?	MISSING I DEFINITELY WILL I PROBABLY WILL I PROBABLY WILL NOT I DEFINITELY WILL NOT	20 43 126 437 1238	. 2.42% 6.86% 23.68% 67.04%
40	IF ONE OF YOUR BEST FRIENDS OFFERED YOU A CIGARETTE, WOULD YOU SMOKE IT?	MISSING DEFINITELY YES PROBABLY YES PROBABLY NOT DEFINITELY NOT	26 77 131 297 1333	. 4.18% 7.18% 15.86% 72.78%
41	IN THE PAST 12 MONTHS, HOW OFTEN HAVE YOUR PARENTS OR GUARDIANS DISCUSSED THE DANGERS OF TOBACCO USE WITH YOU?	MISSING NEVER RARELY SOMETIMES OFTEN VERY OFTEN	26 592 374 471 249 152	. 32.07% 20.13% 26.01% 13.62% 8.18%
42	DO YOU THINK PEOPLE CAN GET ADDICTED TO USING TOBACCO JUST LIKE THEY CAN GET ADDICTED TO USING COCAINE OR HEROIN?	MISSING DEFINITELY YES PROBABLY YES PROBABLY NOT DEFINITELY NOT	38 1230 394 71 131	. 67.33% 21.54% 3.87% 7.26%
43	DO YOU THINK YOUNG PEOPLE WHO SMOKE CIGARETTES HAVE MORE FRIENDS?	MISSING DEFINITELY YES PROBABLY YES PROBABLY NOT DEFINITELY NOT	39 79 171 872 703	. 4.50% 9.62% 47.49% 38.39%
44	DO YOU THINK SMOKING CIGARETTES MAKES YOUNG PEOPLE LOOK COOL OR FIT IN?	MISSING DEFINITELY YES PROBABLY YES PROBABLY NOT DEFINITELY NOT	31 73 123 301 1336	. 4.12% 6.77% 16.37% 72.73%

* UNWEIGHTED FREQUENCY IS THE NUMBER OF STUDENTS WHO ANSWERED THAT PARTICULAR RESPONSE TO THAT SPECIFIC QUESTION. THIS IS SOMETIMES REFERRED TO AS THE “RAW” NUMBER AND SHOULD ALWAYS ADD UP TO 1,864 FOR EACH QUESTION.

** WEIGHTED FREQUENCY ADJUSTS THE UNWEIGHTED FREQUENCY USING SEVERAL VARIABLES TO REDUCE BIAS AND MAKE THE DATA MORE REPRESENTATIVE OF ALL PUBLIC MIDDLE SCHOOL YOUTH IN WISCONSIN.

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
45	DO YOU THINK YOUNG PEOPLE RISK HARMING THEMSELVES IF THEY SMOKE FROM 1-5 CIGARETTES PER DAY?	MISSING DEFINITELY YES PROBABLY YES PROBABLY NOT DEFINITELY NOT	40 1285 304 64 171	. 70.44% 16.55% 3.63% 9.37%
46	DO YOU THINK IT IS SAFE TO SMOKE FOR ONLY A YEAR OR TWO, AS LONG AS YOU QUIT AFTER THAT?	MISSING DEFINITELY YES PROBABLY YES PROBABLY NOT DEFINITELY NOT	25 79 108 435 1217	. 4.43% 5.96% 23.52% 66.10%
47	DO YOU THINK YOU WOULD BE ABLE TO QUIT SMOKING CIGARETTES IF YOU WANTED TO ?	MISSING I DO NOT SMOKE NOW YES NO	46 1597 144 77	. 87.49% 8.11% 4.40%
48	HAVE YOU EVER PARTICIPATED IN A PROGRAM TO HELP YOU QUIT SMOKING ?	MISSING I HAVE NEVER USED TOBACCO YES NO	44 1446 63 311	. 79.44% 3.41% 17.15%
49	DURING THIS SCHOOL YEAR, WERE YOU TAUGHT IN ANY OF YOUR CLASSES ABOUT THE DANGERS OF TOBACCO USE?	MISSING YES NO NOT SURE	38 1204 282 340	. 64.84% 16.23% 18.92%
50	DURING THIS SCHOOL YEAR, DID YOU PRACTICE WAYS TO SAY “NO” TO TOBACCO IN ANY OF YOUR CLASSES ?	MISSING YES NO NOT SURE	49 875 618 322	. 47.68% 34.86% 17.46%
51	TOBACCO COMPANIES LIE TO GET PEOPLE HOOKED ON SMOKING.	MISSING STRONGLY AGREE SOMEWHAT AGREE SOMEWHAT DISAGREE STRONGLY DISAGREE	63 1295 388 66 52	. 71.91% 21.52% 3.69% 2.87%
52	DURING THE PAST 12 MONTHS, HAVE YOU PARTICIPATED IN ANY COMMUNITY ACTIVITIES TO DISCOURAGE PEOPLE YOUR AGE FROM USING CIGARETTES, CHEWING TOBACCO, SNUFF, DIP OR CIGARS ?	MISSING YES NO I DID NOT KNOW ABOUT ANY ACTIVITIES	65 277 802 720	. 15.70% 44.21% 40.09%

* UNWEIGHTED FREQUENCY IS THE NUMBER OF STUDENTS WHO ANSWERED THAT PARTICULAR RESPONSE TO THAT SPECIFIC QUESTION. THIS IS SOMETIMES REFERRED TO AS THE “RAW” NUMBER AND SHOULD ALWAYS ADD UP TO 1,864 FOR EACH QUESTION.

** WEIGHTED FREQUENCY ADJUSTS THE UNWEIGHTED FREQUENCY USING SEVERAL VARIABLES TO REDUCE BIAS AND MAKE THE DATA MORE REPRESENTATIVE OF ALL PUBLIC MIDDLE SCHOOL YOUTH IN WISCONSIN.

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
53	DURING THE PAST 30 DAYS, HAVE YOU SEEN OR HEARD COMMERCIALS ON TV, THE INTERNET, OR ON THE RADIO ABOUT THE DANGERS OF CIGARETTE SMOKING ?	MISSING NOT IN THE PAST 30 DAYS 1-3 TIMES IN THE PAST 30 DAYS 1-3 TIMES PER WEEK DAILY OR ALMOST DAILY MORE THAN ONCE A DAY	48 395 300 275 432 414	. 21.64% 16.34% 15.19% 24.02% 22.80%
54	HAVE YOU SEEN OR HEARD ANTI-SMOKING ADS THAT SAY “B-FREE FROM TOBACCO”?	MISSING YES NO NOT SURE	59 1064 346 395	. 58.25% 19.33% 22.42%
55	HAVE YOU EVER HEARD OF A GROUP CALLED “TEAM B-FREE”?	MISSING NO, I HAVE NOT HEARD OF TEAM B-FREE YES, I HAVE HEARD OF TEAM B-FREE BUT I AM NOT INVOLVED YES, I HAVE HEARD OF TEAM B-FREE AND I AM A MEMBER	48 1395 388 33	. 77.03% 21.10% 1.88%
56	HAVE YOU EVER HEARD OF AN ORGANIZATION OR GROUP CALLED FACT?	MISSING NO, I HAVE NOT HEARD OF FACT YES, I HAVE HEARD OF FACT BUT I AM NOT INVOLVED YES, I HAVE HEARD OF FACT AND I HAVE PARTICIPATED IN SOME ACTIVITIES YES, I HAVE HEARD OF FACT AND I AM A MEMBER	51 1122 623 46 22	. 61.54% 34.60% 2.55% 1.31%
57	ARE YOU A MEMBER OF ANY OTHER ANTI-TOBACCO ORGANIZATION OR GROUP (BESIDES TEAM B-FREE OR FACT?)	MISSING YES NO NOT SURE	73 113 1564 114	. 6.39% 87.14% 6.47%
58	WHEN YOU WATCH TV OR GO TO MOVIES, HOW OFTEN DO YOU SEE ACTORS USING TOBACCO?	MISSING I DON'T WATCH TV OR GO TO MOVIES MOST OF THE TIME SOME OF THE TIME HARDLY EVER NEVER	56 70 566 903 228 41	. 3.97% 31.40% 49.88% 12.57% 2.18%
59	WHEN YOU WATCH TV, HOW OFTEN DO YOU SEE ATHLETES USING TOBACCO?	MISSING I DON'T WATCH TV MOST OF THE TIME SOME OF THE TIME HARDLY EVER NEVER	70 73 129 316 701 575	. 4.22% 7.26% 17.82% 38.79% 31.91%

* UNWEIGHTED FREQUENCY IS THE NUMBER OF STUDENTS WHO ANSWERED THAT PARTICULAR RESPONSE TO THAT SPECIFIC QUESTION. THIS IS SOMETIMES REFERRED TO AS THE “RAW” NUMBER AND SHOULD ALWAYS ADD UP TO 1,864 FOR EACH QUESTION.

** WEIGHTED FREQUENCY ADJUSTS THE UNWEIGHTED FREQUENCY USING SEVERAL VARIABLES TO REDUCE BIAS AND MAKE THE DATA MORE REPRESENTATIVE OF ALL PUBLIC MIDDLE SCHOOL YOUTH IN WISCONSIN.

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
60	WHEN YOU ARE USING THE INTERNET, HOW OFTEN DO YOU SEE ADS FOR TOBACCO PRODUCTS ?	MISSING I DON'T USE THE INTERNET MOST OF THE TIME SOME OF THE TIME HARDLY EVER NEVER	76 188 209 438 568 385	. 10.59% 12.00% 24.31% 31.77% 21.34%
61	DURING THE PAST 12 MONTHS, DID YOU BUY OR RECEIVE ANYTHING THAT HAS A TOBACCO COMPANY NAME OR PICTURE ON IT?	MISSING YES NO	98 268 1498	. 14.81% 85.19%
62	WOULD YOU EVER USE OR WEAR SOMETHING THAT HAS A TOBACCO COMPANY NAME OR PICTURE ON IT SUCH AS A LIGHTER, T-SHIRT, HAT OR SUNGLASSES ?	MISSING DEFINITELY YES PROBABLY YES PROBABLY NOT DEFINITELY NOT	68 111 256 539 890	. 6.16% 14.00% 30.17% 49.68%
63	DURING THE PAST 7 DAYS, ON HOW MANY DAYS WERE YOU IN THE SAME ROOM WITH SOMEONE WHO WAS SMOKING CIGARETTES ?	MISSING 0 DAYS 1-2 DAYS 3-4 DAYS 5-6 DAYS 7 DAYS	77 819 381 181 70 336	. 46.02% 21.36% 10.22% 3.75% 18.65%
64	DURING THE PAST 7 DAYS, ON HOW MANY DAYS DID YOU RIDE IN A CAR WITH SOMEONE WHO WAS SMOKING CIGARETTES ?	MISSING 0 DAYS 1-2 DAYS 3-4 DAYS 5-6 DAYS 7 DAYS	66 1085 286 143 92 192	. 60.82% 15.71% 7.91% 4.91% 10.66%
65	DO YOU THINK SMOKE FROM OTHER PEOPLE'S CIGARETTES IS HARMFUL TO YOU?	MISSING DEFINITELY YES PROBABLY YES PROBABLY NOT DEFINITELY NOT	75 1391 244 68 86	. 77.75% 13.69% 3.79% 4.78%
66	DOES ANYONE WHO LIVES WITH YOU NOW SMOKE CIGARETTES ?	MISSING YES NO	107 746 1011	. 42.37% 57.63%

* UNWEIGHTED FREQUENCY IS THE NUMBER OF STUDENTS WHO ANSWERED THAT PARTICULAR RESPONSE TO THAT SPECIFIC QUESTION. THIS IS SOMETIMES REFERRED TO AS THE “RAW” NUMBER AND SHOULD ALWAYS ADD UP TO 1,864 FOR EACH QUESTION.

** WEIGHTED FREQUENCY ADJUSTS THE UNWEIGHTED FREQUENCY USING SEVERAL VARIABLES TO REDUCE BIAS AND MAKE THE DATA MORE REPRESENTATIVE OF ALL PUBLIC MIDDLE SCHOOL YOUTH IN WISCONSIN.

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
67	DOES ANYONE WHO LIVES WITH YOU NOW USE CHEWING TOBACCO, SNUFF OR DIP?	MISSING YES NO	90 243 1531	. 13.55% 86.45%
68	HOW MANY OF YOUR FOUR CLOSEST FRIENDS SMOKE CIGARETTES ?	MISSING NONE ONE TWO THREE FOUR NOT SURE	79 1305 188 74 41 46 131	. 72.81% 10.80% 4.20% 2.27% 2.51% 7.41%
69	HOW MANY OF YOUR FOUR CLOSEST FRIENDS USE CHEWING TOBACCO, SNUFF, OR DIP?	MISSING NONE ONE TWO THREE FOUR NOT SURE	88 1510 90 35 9 12 120	. 85.23% 4.99% 1.96% 0.50% 0.68% 6.65%
70	AT SCHOOL I TRY HARD TO DO MY BEST WORK	MISSING STRONGLY AGREE AGREE NOT SURE DISAGREE STRONGLY DISAGREE	86 923 618 162 49 26	. 52.14% 34.92% 8.82% 2.66% 1.46%
71	DURING THE PAST 12 MONTHS, HOW WOULD YOU DESCRIBE YOUR GRADES IN SCHOOL?	MISSING MOSTLY A'S MOSTLY B'S MOSTLY C'S MOSTLY D'S MOSTLY F'S NONE OF THESE GRADES NOT SURE	136 715 559 260 61 37 7 89	. 42.09% 32.01% 14.90% 3.42% 2.09% 0.45% 5.05%

* UNWEIGHTED FREQUENCY IS THE NUMBER OF STUDENTS WHO ANSWERED THAT PARTICULAR RESPONSE TO THAT SPECIFIC QUESTION. THIS IS SOMETIMES REFERRED TO AS THE “RAW” NUMBER AND SHOULD ALWAYS ADD UP TO 1,864 FOR EACH QUESTION.

** WEIGHTED FREQUENCY ADJUSTS THE UNWEIGHTED FREQUENCY USING SEVERAL VARIABLES TO REDUCE BIAS AND MAKE THE DATA MORE REPRESENTATIVE OF ALL PUBLIC MIDDLE SCHOOL YOUTH IN WISCONSIN.

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
72	HOW MANY DAYS OF SCHOOL HAVE YOU MISSED IN THE PAST 30 DAYS ?	MISSING I HAVE NOT MISSED ANY DAYS OF SCHOOL IN THE PAST 30 DAYS 1-2 DAYS 3-4 DAYS 5-6 DAYS 7-8 DAYS 9 OR MORE DAYS	106 751 644 217 65 27 54	. 42.3% 36.7% 12.4% 3.8% 1.5% 3.2
73	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE ASTHMA?	MISSING YES NO NOT SURE	97 315 1335 117	. 18.21% 75.19% 6.60%
74	DURING THE PAST 12 MONTHS, HAVE YOU HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK?	MISSING I DO NOT HAVE ASTHMA NO, I HAVE ASTHMA, BUT I HAVE NOT HAD AN EPIDOSE OF ASTHMA OR AN ASTHMA ATTACK DURING THE PAST 12 MONTHS YES, I HAVE HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK DURING THE PAST 12 MONTHS NOT SURE	109 1365 176 111 103	. 77.63% 10.14% 6.42% 5.81%

* UNWEIGHTED FREQUENCY IS THE NUMBER OF STUDENTS WHO ANSWERED THAT PARTICULAR RESPONSE TO THAT SPECIFIC QUESTION. THIS IS SOMETIMES REFERRED TO AS THE “RAW” NUMBER AND SHOULD ALWAYS ADD UP TO 1,864 FOR EACH QUESTION.

** WEIGHTED FREQUENCY ADJUSTS THE UNWEIGHTED FREQUENCY USING SEVERAL VARIABLES TO REDUCE BIAS AND MAKE THE DATA MORE REPRESENTATIVE OF ALL PUBLIC MIDDLE SCHOOL YOUTH IN WISCONSIN.